



Kindermann Bundles

# **NEXT LEVEL – FOR YOUR MEETINGS**

Kindermann's all-in-one solutions for  
conferencing & collaboration.



# Contents



4

## Kindermann Bundles

Why...!



6

## Small meeting rooms / Huddle spaces

Produce lifelike and interactive video conferences in small spaces with the Huddle<sup>65</sup> all-in-one solutions - leading products for hybrid meetings and digital collaboration.




 **small**  **15 m²**  **6**



10

## Meeting rooms

The Meet<sup>75</sup> all-in-one solutions are perfect for medium-sized rooms and provide everything needed for video conferencing and collaboration, including hybrid meetings, digital collaboration, and interactive teamwork.




 **medium**  **30 m²**  **18**



16

## Board rooms

Interact, present, share, and collaborate seamlessly with ProPresent<sup>86</sup> bundles. These bundles make it easy for every user, and are also perfect for digital teaching and learning in larger rooms.

 **large**  **50 m²**  **30**



22

## Why...

Kindermann!

# Why...!

## ALL-IN-ONE

The bundles include all necessary products for the application, ranging from displays and mounts to conference, presentation, and collaboration systems and tools, as well as power cables.

## UNIQUE

- All components are designed by Kindermann.
- The systems are fully compatible with all components and tested.
- Service & support from Kindermann - simple, fast and friendly.




## SCALABLE

We provide cost-effective and extensively tested solutions for conferencing, presentations, and collaboration that are tailored to your specific environment, whether it be room-specific or application-specific.

## EASY

Our solutions are designed to be user-friendly and require minimal maintenance. We guarantee quick installation and simple set-up, with regular updates to ensure optimal performance.



## Kindermann TD-40xx touch screens

Thanks to the capacitive PCAP technology and the active stylus, users enjoy a particularly pleasant and precise writing and operating experience, comparable to tablets.

In line with the intended use, the displays do not have an integrated Android and therefore make an active contribution to IT security.

## Kindermann display mounts

Secure and sustainable solutions for a fast, smooth and seamless height adjustment of interactive displays with a size of up to 86".

- > DisplayLift: Electrical height-adjustable display mount for floor/wall installation or as mobile cart.
- > DisplayShift<sup>2</sup>: Manually height-adjustable wall mount for touch screens.
- > Display mount M: Fixed and universal wall mount.

## Klick&Show

Kindermann Klick&Show meets all the requirements of modern meeting culture. It is easy to use and compatible with all common devices and operating systems. It is uniquely universal and can be used via transmitter, software client, app, or natively via AirPlay.

## Data transmission

Transmitting all signals over long distances without interference is a challenge. With the CablePort frame slide and the Multiswitch 21 HDBT, Kindermann offers the perfect signal management solution for reliable transmissions of high-resolution 4K video signals and USB data using a single CAT cable.

## Video conferences

With the Kindermann KVB 120 all-in-one 4K video soundbar, small and medium-sized meeting rooms and huddle spaces become video conference-ready in no time at all.

# SMALL MEETING ROOMS HUDDLE SPACES







### Applications:

- > Hybrid meetings / video conferences (BYOM)
- > Present, share and collaborate with your own device (BYOD)
- > Interactive teamwork / collaboration

### Room specification:



small



15 m²



6

BYOD & BYOM

# Huddle<sup>65M<sup>2</sup></sup>

Wireless, interactive, 65' touch screen, mobile,  
electrically height-adjuReliable.

65" Touch screen



DisplayLift



Klick&Show K-FleX  
with 4K Transmitters and Tray



> Kindermann TD-4065 touch screen

> DisplayLift Mobile

- + Laptop frontshelf
- + Rear cover for DisplayLift

> KVB 120 4K videosoundbar

- + Mounting kit for DisplayLift

> Klick&Show K-FleX

- + BYOM Licence
- + mounting kit for Klick&Show
- + 1x 4K HDMI Transmitter for Klick&Show
- + 1x 4K USB-C Transmitter for Klick&Show
- + 1x Tray for the Transmitter

> 2x 3-way power strip GST18,  
incl. 5 m power cable




BYOD & BYOM

# Huddle<sup>65</sup>CCE<sup>2</sup>

Single-cable system using HDBaseT 3.0 technology,  
interactive 65' touch screen, rigid wall mounting

KVB120

65" Touch screen



MultiSwitch  
Receiver

Fully connected with just one cable:

- > 1 CAT Cable
- > Up to 100 m extension
- > Reliable, uncompressed image, sound and data transmission

MultiSwitch Transmitter

CablePort frame slide 6 fold

- > **Kindermann TD-4065 touch screen**  
+ Display mount M
- > **KVB 120 4K videosoundbar**  
+ mounting kit for display mount
- > **MultiSwitch 21 HDBT**
- > **Desktop connection CablePort frame slide**  
equipped with:
  - 4x power socket
  - 1x CAT6 (RJ45)
  - 1x USB-C (data, video, power)
  - 1x USB-A
  - 1x HDMI
- > 3-way power strip GST18,  
incl. 1 m power cable

# MEETING ROOMS





### Applications:

- > Hybrid meetings / video conferences (BYOM)
- > Present, share and collaborate with your own device (BYOD)
- > Interactive teamwork / collaboration

### Room specification:

  
medium

  
30 m<sup>2</sup>

  
18

BYOD & BYOM

# Meet<sup>75M<sup>2</sup></sup>

Wireless, interactive 75' touch screen, mobile, electrically height-adjustable.

75" Touch screen



DisplayLift



> Kindermann TD-4075 touch screen

> DisplayLift Mobile

- + Laptop frontshelf
- + Rear cover for DisplayLift

> KVB 120 4K videosoundbar

- + Mounting kit for DisplayLift

> Klick&Show K-FleX

- + BYOM Licence
- + Mounting kit for Klick&Show
- + 1x 4K HDMI Transmitter for Klick&Show
- + 1x 4K USB-C Transmitter for Klick&Show
- + 1x Tray for the Transmitter

> 2x 3-way power strip GST18, incl. 5 m power cable



BYOD & BYOM


# Meet<sup>75CW<sup>2</sup></sup>

Wireless, interactive 75' touch screen,  
wall-mounted, electrically height-adjustable

- > Kindermann TD-4075 touch screen
- > DisplayLift floor/wall  
+ Laptop frontshelf
- > KVB 120 4K videosoundbar  
+ Mounting kit for DisplayLift
- > Klick&Show K-FleX  
+ BYOM Licence  
+ Mounting kit for Klick&Show  
+ 1x 4K HDMI Transmitter for Klick&Show  
+ 1x 4K USB-C Transmitter for Klick&Show  
+ 1x Tray for the Transmitter
- > 2x 3-way power strip GST18,  
incl. 5 m power cable



DisplayShift<sup>2</sup>  
Classic



MultiSwitch  
Receiver





BYOD & BYOM

# Meet<sup>75</sup>CCDS<sup>2</sup>


Single-cable system with HDBaseT 3.0 technology, interactive 75' touch display, wall-mounted, intuitive mechanical height adjustment.

75" touch screen

Fully connected with just one cable:

- > 1 CAT Cable
- > Up to 100 m extension
- > Reliable, uncompressed image, sound and data transmission

- > Kindermann TD-4075 touch screen
- > Height adjustment DisplayShift<sup>2</sup> Classic 51-74  
+ Handle for height adjustment
- > KVB 120 4K videosoundbar  
+ Mounting kit
- > MultiSwitch 21 HDBT
- > Desktop connection CablePort frame slide equipped with:
  - 4x power socket
  - 1x CAT6 (RJ45)
  - 1x USB-C (data, video, power)
  - 1x USB-A
  - 1x HDMI
- > 3-way power strip GST18,  
incl. 1 m power cable



# BOARD ROOMS






### Applications:

- > Present, share and collaborate digitally with your own device (BYOD)
- > Teach, train, learn and collaborate interactively

### Room Specification:


  
large

  
> 50 m<sup>2</sup>

  
30 +



86" Touch screen



Wireless presentation and collaboration

# ProPresent<sup>86DS<sup>2</sup></sup>

Wireless, interactive 86" touch screen, wall-mounted, mechanically height-adjustable.



Klick&Show K-FleX  
with 4K Transmitters and Tray



- > Kindermann TD-4086 touch screen
- > Height adjustment DisplayShift<sup>2</sup> Classic 51-74  
+ Handle for height adjustment
- > Klick&Show K-FleX  
+ 1x 4K HDMI transmitter for Klick&Show  
+ 1x 4K USB-C transmitter for Klick&Show  
+ 1x Tray for the transmitter

## Help?



*On our website you will find  
you will find detailed  
information on all bundles.  
**[www.kindermann.de/en](http://www.kindermann.de/en)***

# COMPARISON MATRIX

## Kindermann Bundle

Field of application

Room type

Approx. room size

approx. number of persons

## Online meeting & Presentation

Videoconferencing: BYOM

Presentation: Screensharing/BYOD

AirPlay/MiraCast/ChromeCast

Splitscreen

## Collaboration

Whiteboarding & Annotations

Touchback (USB / Dongle / PC-Client / Miracast)

## Display

Touch screen Brand

Size

Resolution

Operating system

## Mounting

Display mount

Type

Height adjustment

Adjustment travel

## Data transmission

Product

Connection type

Transmission type

Connection

## Video/Audio

Videosoundbar

Resolution

Connection type

Item number

## Huddle<sup>65M²</sup>

## Huddle<sup>65CCE²</sup>

Presenting, collaboration, video conferences

Small meeting rooms / Huddle spaces

15 m²

6

Yes, wireless

Yes, wireless

Yes / Yes / Yes

max. 4 at the same time (Full-HD PiP)

Yes, wired

Yes, wired

Optional

No

Yes, depending on the software (e.g. Microsoft Whiteboard)

No / Yes / Yes / Yes

Yes / optional / optional / optional

Kindermann

65" / 1428 x 804 mm

4K, 3840 x 2160 / 16:9

Touch screen, no operating system

DisplayLift² Mobil

Mobile stand

electric

500 mm

Wandhalterung M

Wall mounting

-

-

Klick&Show K-FleX with BYOM licence

wireless

WiFi

HDMI & USB-C Transmitter + Software

MultiSwitch 21 HDBT, CablePort frame slide

wired (only 1 CAT cable)

HDBaseT 3.0 (native 4K60, USB 2.0)

1x USB-C, 1x USB-A, 1x HDMI (CablePort)

KVB120 - All-in-One videosoundbar

UHD, 8 Megapixel

USB 3.0 B socket, Plug & Play


4040000011

4040000015



Meet <sup>75M²</sup>	Meet <sup>75CW²</sup>	Meet <sup>75CCDS²</sup>	ProPresent <sup>86DS²</sup>
Presenting, collaboration, video conferences			Presenting, interactive teaching
Meeting rooms			Board rooms
30 m²			50 m²
18			30
Yes, wireless		Yes, wired	No
Yes, wireless		Yes, wired	Yes, wireless
Yes / Yes / Yes		Optional	Yes / Yes / Yes
max. 4 at the same time (Full-HD PiP)		No	max. 4 at the same time (Full-HD PiP)
Yes, depending on the software (e.g. Microsoft Whiteboard)			Yes, depending on the software (e.g. Microsoft Whiteboard)
No / Yes / Yes / Yes		Yes / optional / optional / optional	No / Yes / Yes / Yes
Kindermann			Kindermann
75" / 1647 x 927 mm			86" / 1895 x 1066
4K, 3840 x 2160 / 16:9			4K, 3840 x 2160 / 16:9
Touchscreen, no operating system			Touchscreen, no operating system
DisplayLift <sup>2</sup> Mobil	DisplayLift <sup>2</sup>	DisplayShift <sup>2</sup> Classic	
Mobile stand	Wall mounting	Wall mounting	
electric		manually	
500 mm		540 mm	
Klick&Show K-FleX with BYOM licence		MultiSwitch 21 HDBT, CablePort frame slide	Klick&Show K-FleX
wireless		wired (only 1 CAT cable)	wireless
WiFi		HDBaseT 3.0 (native 4K60, USB 2.0)	WiFi
HDMI & USB-C Transmitter + Software		1x USB-C, 1x USB-A, 1x HDMI (CablePort)	HDMI & USB-C Transmitter + Software
KVB120 - All-in-One videosoundbar			-
UHD, 8 Megapixel			-
USB 3.0 B socket, Plug & Play			-
4040 000012	4040 000014	4040 000016	4040 000017





# Why Kindermann!

- > **Kindermann offers state-of-the-art products...**

With the latest technology, high quality, and a unique price-to-value ratio.

- > **Kindermann has many years of expertise at the highest level...**

in audio, video, acoustics and system design!

- > **Kindermann is a “solution provider”...**

Our solutions are more than just products - they are complete and tested solutions that come from a single source. We have extensively tested all components to ensure they fit together perfectly.

- > **We think “User Experience”...**

Our systems aim to provide users with an optimal experience. We offer complete solutions that are easy to install, intuitive to use, and provide a great user experience!



**Kindermann GmbH**

Mainparkring 3 | 97246 Eibelstadt | Germany  
Phone +49 9303 9840-118 | Fax +49 9303 9840-101  
Printed in Germany | 03/2025 | 0101001005

[www.kindermann.com](http://www.kindermann.com)

Subject to change in the interest of progress. Illustrations and technical specifications may contain additional options and are not binding for the design. All dimensions are subject to the usual tolerances.

Presented by:

