

Simply work quickly and ergonomically!

# DisplayShift<sup>2</sup> Classic

Kindermann's DisplayShift<sup>2</sup>-series includes four models of manual heightadjustable display mounts: Three Classic and an education model including writeable side wings.

The systems are compatible with all standard displays and touch dislays in the weight range of approx. 31 - 43 kg (4031000503), 51 - 74 kg (4031000502) and 85 - 108 kg (4031000501).

## **Features**

| 1 |   |
|---|---|
| 1 | 9 |

Be fast! No button to press, no waiting time. The DisplayShift<sup>2</sup> can be adjusted to the right position in no time.

Successful endurance tests with over 50,000 cycles as well as a corresponding TÜV-certification according to DIN EN 14434: "Tafelnorm" and EK 5/AK 3 15-01:2023 test principle for the security of digital whiteboard systems guarantee the highest safety standards.



Quick and easy installation, long-term use without maintenance and electricity-free use save you money.



The DisplayShift<sup>2</sup> Classic can be manually and continuously adjusted in height in no time, offering users of all heights an optimal, ergonomic working environment when using interactive touch displays.



DisplayShift<sup>2</sup> means short delivery times, 5-year warranty with advance exchange and 10-year of spare parts availability.



**4031000501** Kindermann DisplayShift<sup>2</sup> 85 - 108







4031000503 Kindermann DisplayShift<sup>2</sup> 31 - 43





Are you also interested in the EDU model DisplayShift<sup>2</sup> Wings? Click here for more information.

# Technical data

| SKU  | 4031000501  | 4031000502                      | 4031000503                      |
|--|---|---------------------------------|---------------------------------|
| Model:   | DisplayShift² 85 - 108  | DisplayShift <sup>2</sup> 51-74 | DisplayShift <sup>2</sup> 31-43 |
| Dimensions in mm (WxHxD):                          | 935 x 1200 x 140  | 935 x 1020 x 143                | 935 x 1020 x 143                |
| Net weight in kg:                                  | ~47   | ~38                             | ~28                             |
| Delivery weight in kg:                             | ~73   | ~41                             | ~31                             |
| Loading capacity in kg<br>(display & accessories): | 85 - 108 kg   | 51 - 74 kg                      | 31 - 43 kg                      |
| Range of vertical motion in mm:                    | approx. 690   | approx. 540                     | approx. 540                     |
| Display mount:                                     | Universell VESA: 4031000501 from 300x150 to 1000x600;<br>4031000502/-503 from 300x150 to 800x800          |                                 |                                 |
| Mounting options:                                  | <ul> <li>wall mouting</li> <li>wall mounting for lightweight walls with floor stand 4031000515</li> </ul> |                                 |                                 |
| Display wall clearance:                            | • 143 mm<br>• 153 mm with floor stand 4031000515 plus spacers 10/35 mm                                    |                                 |                                 |

# Accessories



**4031 000 515 Floor stand** – ideal for use on lightweight walls.



#### 4031000512

**Laotop tray** with operating handle. Usable area: 420 x 298 mm (WxD) suitable for notebooks up to 17".




**4004000200 + 4004000203 Kindermann Sprinter DS** and adapter set for mobile use of the DisplayShift<sup>2</sup>.




**4031000521 Cover** for DisplayShift<sup>2</sup> 85 - 108.

## **Dimensional sketch**


Item no. 4013 000 501



#### Item no. 4013 000 502



Item no. 4013 000 503



## Other available model:



**4031000500** DisplayShift<sup>2</sup> Wings



All prices are net prices excl. VAT. Subject to change in the interest of progress. Illustrations and technical specifications may contain additional options and are not binding for the design. All dimensions are subject to the usual tolerances.



Kindermann GmbH

Mainparkring 3 | D-97246 Eibelstadt | Germany Phone +49 9303 9840-0 | Fax +49 9303 9840-101 4031000502-503 | 05/2024

www.kindermann.com

Presented by: