
MAXHUB 01

MAXHUB XCore Room Kit for Microsoft Teams Rooms


Model: XT10-WS Kit

MAXHUB XT10-WS Kit incorporates a high-quality Speakerphone and USB Camera. With the inclusion of a mobile Speakerphone and camera, this bundle adeptly caters to participants' dynamic audio and video needs, driving a flexible and seamless collaboration experience. Compatible with Microsoft Teams Rooms, the Kit also helps to facilitate the switch to Microsoft Teams Rooms smart spaces for BYOD scenarios, enhancing Teams-native audio and video experiences while accommodating cost-balance needs.









One Cable Technology



Device Management



Flexible & Ease of Installation



Easy Content Sharing



3-Year Warranty & Local support



Secured and Managed

XT10-WS Kit


Package Includes

Package Physical Specifications

• XC13T Mini-PC	x1	 Package dimension(L*W*H) 	890*270*265 mm / 35*10.6*10.4 inch
TCP20T Touch Control Panel	x1	• Net Weight	8.0kg / 17.7 lbs
• UC BM35	x1	Gross Weight	9.9kg / 21.8 lbs
• UC W31	x1		

Environmental Conditions	
Operation Temperature	0°-40°C / 0°F-104°F
Operation Humidity	10%~90%RH
Storage Temperature	-20°C-60°C / -4°F-140°F
Storage Humidity	10%~90%RH
Altitude	Below 5000m/ 196850"

Connection



Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with thelatest product specification and performance. Should the above-mentioned change in the document become necessary, the document may be updated without written notice.

XT10-WS Kit

XC13T Mini-PC

Product Specification	
Type	Mini-PC
CPU	12th Gen intel i3
Memory	8GB DDR4 3200MHz SO-DIMM x 2
Storage	128GB SATA SSD (M.2-2280 SATA3 up to 6Gb/s)
Graphics	Intel® UHD Graphics for 12th Gen Intel® Processors;
Network	1000Mbps RJ45
Operating system	Windows 11 IoT Enterprise SAC
Application	Microsoft Teams Room

I/O Port	
USB-A 3.0	4
LAN	1
USB-C (For Teams Rooms Console)	1
HDMI OUT	1
Audio OUT	1
AC POWER	1
Kensington lock slot	1

Accessories (included in the po	ickage)
Wall Bracket	×1
PC Bracket	×1
Cable Cover	×1
HDMI Cable (1.8m/5.9ft)	×1
Power Cord (1.8m/5.9ft)	×1
Quick Start Guide	×1

Power	
Power Supply Mode	AC POWER
Power Requirements	100-240V AC 50/60Hz
Max Power	90W

Touch Control Panel TCP20T

Display		
Size	10.1 inch	
Resolution	1920 (H) x 1200 (V)	
Frequency Refresh Rate	60Hz	
Back Light Unit	ELED	
Brightness with glass	Min.250cd/m², Typ.300cd/m²	
Life Time	≥ 20000 Hours	

Touch System

Type Capacitive touch
Surface Treatment Anti-fingerprint, Anti-glare

I/O Port		
HDMI In (Content Sharing)	1	
USB-A 2.0 (Table Audio Devices)	1	
USB-C 3.1 (for Connection to XC13T Mini PC)	1	
Audio Out (headphone ,w/o mic)	1	

Accessories (included in the package)	
USB Type-C Cable (Type C-C) 5m / 16.4ft	<1
HDMI Cable 1.8m / 5.9ft	<1
Quick Start Guide	<1

Sensor

Motion Sensor PIR sensor for auto wake-up

XT10-WS Kit

Speakerphone UC BM35

Connection	Bluetooth dongle (USB-A) for wireless connection USB-C to USB-A Cable for wired connection	n
Compatible with	Compatible with Windows 7/8/8.1/10/11, MAC OS 10.10 and	labove
User Interface Features		
Physical button user controls for	Touch button user controls for	LED Indicator light
Power on/off	Call/hang up	Annular LED
Bluetooth Pairing	Mute	
	Volume +/-	

Wireless	
Bluetooth	
Version	BT5.3
Operating Frequency	2.4GHz
Operating Distance	10m
Compatibility Battery	Support audio playback, HD audio input
Battery Type	Lithium-ion battery
Battery Capacity	4400mAh
Talk Time	up to 15h
Music Time	up to 8h

Audio Features	
Microphone	
Quantity	8
Voice Pickup Range	6m
Microphone Frequency Range	(1) USB: 100Hz ~ 12kHz; (2) Bluetooth: 100Hz ~ 7.5kHz
Speaker	
Sound Channel	1.1
Output Power	5W + 3W
Maximum Sound Pressure	80dBSPL@1m
Frequency Range	80Hz ~ 18kHz

What's in the box

1 x USB Cable(USB-C to USB-A, 1.0m/39.37 inch), Bluetooth dongle (USB-A)

I/O Port

4K USB Camera UC W31

Camera Parameters		
Image Sensor	1/2.3 inch	
Pixel	12M	
Output Resolution	H.264/MJ: (1) 3840×2160 (2) 2560×1440 (3) 1920×1080 (4) 1280×720 (5) 1024×576 (6) 960×540 (7) 800×600 (8) 640×480 (9) 640×360 (10) 480×270 (11) 352×288 (12) 320×240 (13) 320×180 NV12 / YUY2: (1) 1920×1080 (2) 1280×720 (3) 640×360	
Field Of View	FOV(H): 109.1° FOV(V): 74.4° FOV(D): 120°	
Touch Point	2.4	
Digital Noise Reduction	Yes	
Output Format	MJPG;H.264;YUY2;NV12	
White Balance	Yes	
Exposure	Yes	

USB-C 3.0 (Device)	1	
Accessories		
USB Cable (USB-C to USB-A,1.8m/5.9feet)	×1	
Privacy cover Hand-tightened screw	×1 ×1	







